



CyBarrier

www.cybarrier.com

# 트레일러형 안전펜스



## 사용 장소 다양화

집회 및 시위 장소 - 사회 재난 현장 - 문화 축제/공연장 - 방역 검문소 - 군사시설 - 교통 통제/검문소 - 이벤트/행사장

## 모델 TSF-2022

- 일반 SUV 차량으로 견인되는 총 중량 3,000kg이하의 트레일러형 안전펜스를 신속하게 이동, 설치
- 집회 참가자와 경찰 간 물리적 충돌 최소화
- 시위대의 과격한 공격으로부터 근무자의 안전 확보
- 신속한 공공질서 유지가 필요한 장소에 상호 안전 확보와 통제
- 군중 제어에 대응하는 인력 및 차량 동원 최소화



주식회사 싸이베리어 13509, 경기도 성남시 분당구 새나리로 25, 312호(성남시첨단기술연구센터)  
대표번호 : 070-7777-5551, 010-5545-3109



CyBarrier







www.cybarrier.com

# 모델 TSF-2022

## 트레일러형 안전펜스

### 기술 사양

- 크기: 표준 8m x 2.4m x 2m(가로 x 세로 x 높이), 사용자 크기 주문 제작
- 중량: 3,000kg 이하
- 수평지지력: 12,000N(좌우 미는 힘 또는 당기는 힘) - 경철청 규격 충족
- 강도: 5,300N(좌우 밀림과 끌림) - 경철청 규격 충족
- 폴리카보네이트 인장항목 응력: 66.1 N/mm<sup>2</sup>
- 폴리카보네이트 인장탄성율: 2,250 N/mm<sup>2</sup>
- 유압구동식 트리거와 좌우 펜스 전개용 실린더 및 펜스 상승/하강 유압 실린더
- 방수방진 등급: IP55 이상
- 절연저항: 1,000MΩ 이상
- 배터리 탑재 및 자동 충전기
- 정보 표출형 LED 전광판 탑재
- 자체 이동용 무버 장착
- 트레일러 연결 잭





CyBarrier

[www.cybarrier.com](http://www.cybarrier.com)

# Trailer Safety Fence



## Multi-use place

**Agora & demonstration venues – Social disaster sites – Cultural festivals/performance halls – Quarantine road checkpoints – Military facilities – Traffic control/checkpoints – Event venue**

## Model TSF-2022

- Quickly move, install and remove trailer-type safety fences with a total weight of 3,000 kg or less towed by a general SUV
- Minimize physical clashes between demonstrator and police
- Securing staff's safety from attacks by radical demonstrator
- Securing and controlling mutual safety in places where rapid public order maintenance is required
- Minimize the mobilization of personnel and vehicles to respond to crowd control



**CyBarrier Co., Ltd.**

312, KETI BI center 25 Saenari-ro, Bundang-gu, Seongnam-si, Gyeonggi-do, Korea 13509,

Tel: +82 70 7777 5551 E. [info@cybarrier.com](mailto:info@cybarrier.com)



CyBarrier







[www.cybarrier.com](http://www.cybarrier.com)

# Model TSF-2022

## Trailer Safety Fence

### Technical specifications

- Dimensions: standard 8m x 2.4m x 2m (W x D x H), customizable by user
- Weight: 3,000 kg or less
- Horizontal support force: 12,000N (left and right pushing or pulling force) – Meets National Police Agency standard
- Strength: 5,300N (left and right push and drag) – Meets National Police Agency standard
- Polycarbonate Tensile stress: 66.1 N/mm<sup>2</sup>
- Polycarbonate tensile modulus: 2,250 N/mm<sup>2</sup>
- Hydraulically driven Out-trigger, cylinder for deploying left and right fences, and hydraulic cylinder for raising/lowering fence
- Protection rating: IP55 or higher
- Insulation resistance: over 1,000M $\Omega$
- Battery mounted and automatic charger
- Information display type LED sign board
- Equipped with a self-moving mover
- Standard trailer jack



**CyBarrier Co., Ltd.**

312, KETI BI center 25 Saenari-ro, Bundang-gu, Seongnam-si, Gyeonggi-do, Korea 13509,

Tel: +82 70 7777 5551 E. [info@cybarrier.com](mailto:info@cybarrier.com)